

SAFETY DATA SHEET

QUICK DRY GLOSS BRILLIANT WHITE

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1 Product identifier

Product name

: QUICK DRY GLOSS BRILLIANT WHITE

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses	
Consumer use	
Uses advised against	
None	

Product use

: Use in accordance with directions on the can.

1.3 Details of the supplier of the safety data sheet

ICI Paints AkzoNobel, Wexham Road, Slough, Berkshire, SL2 5DS, U.K. Tel.: +44 (0) 333 222 70 70 www.armsteadtrade.co.uk

e-mail address of person : armstead.advice@akzonobel.com responsible for this SDS

1.4 Emergency telephone number

National advisory body/Poison Center

Telephone number : +44 (0)344 892 0111

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Product definition : Mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Not classified.

The product is not classified as hazardous according to Regulation (EC) 1272/2008 as amended. See Section 11 for more detailed information on health effects and symptoms.

2.2 Label elements

Date of issue/Date of revision	: 26-1-2024	Version : 1	
Date of previous issue	: 26-1-2024	1/16	AkzoNobel

SECTION 2: Hazards	i	dentification
Signal word	:	No signal word.
Hazard statements	:	No known significant effects or critical hazards.
Precautionary statements		
General	:	P102 - Keep out of reach of children. P101 - If medical advice is needed, have product container or label at hand.
Prevention	:	P262 - Do not get in eyes, on skin, or on clothing.
Response	:	P312 - Call a doctor if you feel unwell.
Storage	:	Not applicable.
Disposal	:	P501 - Dispose of contents and container in accordance with all local, regional, national or international regulations.
Supplemental label elements	:	Contains adipohydrazide, 1,2-benzisothiazol-3(2H)-one, CMIT/MIT(3:1) and 2-methyl-2H-isothiazol-3-one. May produce an allergic reaction. Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist.
Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles	:	Not applicable.
Special packaging requirem	ner	its
Containers to be fitted with child-resistant fastenings		Not applicable.
Tactile warning of danger	:	Not applicable.
2.3 Other hazards		
Product meets the criteria for PBT or vPvB according to Regulation (EC) No. 1907/2006, Annex XIII	:	This mixture does not contain any substances that are assessed to be a PBT or a vPvB.
Other hazards which do	:	None known.

not result in classification

SECTION 3: Composition/information on ingredients

3.2 Mixtures	: Mixture				
Product/ingredient name	Identifiers	%	Classification	Specific Conc. Limits, M-factors and ATEs	Туре
titanium dioxide	REACH #: 01-2119489379-17 EC: 236-675-5 CAS: 13463-67-7	≥20 - ≤25	Carc. 2, H351 (inhalation)	-	[1] [*]
adipohydrazide	EC: 213-999-5 CAS: 1071-93-8	≤0.3	Skin Sens. 1, H317 Aquatic Chronic 2, H411	-	[1]
propylidynetrimethanol	REACH #: 01-2119486799-10 EC: 201-074-9 CAS: 77-99-6	≤0.3	Repr. 2, H361	-	[1]
1,2-benzisothiazol-3(2H)-	REACH #:	<0.05	Acute Tox. 4, H302	ATE [Oral] = 500	[1]
Date of issue/Date of revision	: 26-1-2024		Version : 1	_	
Date of previous issue	: 26-1-2024		2/16	Akzo	Nobe

QUICK DRY GLOSS BRILLIANT WHITE

SECTION 3: Composition/information on ingredients					
one	01-2120761540-60 EC: 220-120-9 CAS: 2634-33-5		Acute Tox. 2, H330 Skin Irrit. 2, H315 Eye Dam. 1, H318 Skin Sens. 1, H317 Aquatic Acute 1, H400 Aquatic Chronic 2, H411	$\begin{array}{l} \text{mg/kg} \\ \text{ATE [Inhalation} \\ (dusts and mists)] \\ = 0.05 \text{ mg/I} \\ \text{Skin Sens. 1, H317:} \\ \text{C} ≥ 0.05\% \\ \text{M [Acute]} = 1 \end{array}$	
CMIT/MIT(3:1)	REACH #: 01-2120764691-48 EC: 911-418-6 CAS: 55965-84-9 Index: 613-167-00-5	<0.001	Acute Tox. 3, H301 Acute Tox. 2, H310 Acute Tox. 2, H330 Skin Corr. 1C, H314 Eye Dam. 1, H318 Skin Sens. 1A, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410 EUH071	ATE [Oral] = 100 mg/kg ATE [Dermal] = 50 mg/kg ATE [Inhalation (dusts and mists)] = 0.05 mg/l Skin Corr. 1C, H314: C $\geq 0.6\%$ Skin Irrit. 2, H315: $0.06\% \leq C < 0.6\%$ Eye Dam. 1, H318: C $\geq 0.6\%$ Eye Irrit. 2, H319: $0.06\% \leq C < 0.6\%$ Skin Sens. 1, H317: C $\geq 0.0015\%$ M [Acute] = 100 M [Chronic] = 100	[1]
3(2H)-Isothiazolone, 2-methyl-	REACH #: 01-2120764690-50 EC: 220-239-6 CAS: 2682-20-4 Index: 613-326-00-9	<0.0015	Acute Tox. 3, H301 Acute Tox. 3, H311 Acute Tox. 2, H330 Skin Corr. 1B, H314 Eye Dam. 1, H318 Skin Sens. 1A, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410 EUH071 See Section 16 for the full text of the H statements declared above.	ATE [Oral] = 100 mg/kg ATE [Dermal] = 300 mg/kg ATE [Inhalation (dusts and mists)] = 0.05 mg/l Skin Sens. 1, H317: $C \ge 0.0015\%$ M [Acute] = 10 M [Chronic] = 1	[1]

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment, are PBTs, vPvBs or Substances of equivalent concern, or have been assigned a workplace exposure limit and hence require reporting in this section. <u>Type</u>

[1] Substance classified with a physical, health or environmental hazard

[*] The classification as a carcinogen by inhalation applies only to mixtures placed on the market in powder form containing 1% or more of titanium dioxide particles with aerodynamic diameter \leq 10 µm not bound within a matrix. Occupational exposure limits, if available, are listed in Section 8.



SECTION 4: First aid measures

4.1 Description of first aid measures

Eye contact	 Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses if easy to do. Get medical attention if irritation occurs.
Inhalation	: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
Skin contact	 Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
Ingestion	: Wash out mouth with water. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
Protection of first-aiders	: No action shall be taken involving any personal risk or without suitable training.

4.2 Most important symptoms and effects, both acute and delayed

There are no data available on the mixture itself. The product is not classified as hazardous according to Regulation (EC) 1272/2008 as amended.

Repeated or prolonged contact with the mixture may cause removal of natural fat from the skin, resulting in nonallergic contact dermatitis and absorption through the skin.

If splashed in the eyes, the liquid may cause irritation and reversible damage.

This takes into account, where known, delayed and immediate effects and also chronic effects of components from short-term and long-term exposure by oral, inhalation and dermal routes of exposure and eye contact.

Contains adipohydrazide, 1,2-benzisothiazol-3(2H)-one, CMIT/MIT(3:1), 2-methyl-2H-isothiazol-3-one. May produce an allergic reaction.

Over-exposure signs/symptoms

Eye contact	: No specific data.
Inhalation	: No specific data.
Skin contact	: No specific data.
Ingestion	: No specific data.

4.3 Indication of any immediate medical attention and special treatment needed

Notes to physician	 Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
Specific treatments	: No specific treatment.

SECTION 5: Firefighting measures

5.1 Extinguishing media Suitable extinguishing media	: Use an extinguishing agent suitable for the surrounding fire.
Unsuitable extinguishing media	: None known.
5.2 Special hazards arising	from the substance or mixture
Hazards from the substance or mixture	: In a fire or if heated, a pressure increase will occur and the container may burst.
Hazardous combustion products	: Decomposition products may include the following materials: carbon dioxide carbon monoxide metal oxide/oxides

Date of issue/Date of revision	: 26-1-2024	Version :1	
Date of previous issue	: 26-1-2024	4/16	AkzoNobel

SECTION 5: Firefighting measures

5.3 Advice for firefighters	
Special protective actions for fire-fighters	: Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective equipment for fire-fighters	: Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.

SECTION 6: Accidental release measures

6.1 Personal precautions, pro	tective equipment and emergency procedures
For non-emergency personnel	: No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.
For emergency responders	: If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
6.2 Environmental precautions	: Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
6.3 Methods and materials for	containment and cleaning up
Small spill	: Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
Large spill	: Stop leak if without risk. Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations. Dispose of via a licensed waste disposal contractor.
6.4 Reference to other sections	: See Section 1 for emergency contact information. See Section 8 for information on appropriate personal protective equipment. See Section 13 for additional waste treatment information.

SECTION 7: Handling and storage

The information in this section contains generic advice and guidance.

7.1 Precautions for safe handling

Protective measures	Put on appropriate personal protective equipment (see Section 8).	
Advice on general occupational hygiene	Eating, drinking and smoking should be prohibited in areas where this main andled, stored and processed. Workers should wash hands and face be eating, drinking and smoking. Remove contaminated clothing and protect equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.	efore tive

7.2 Conditions for safe storage, including any incompatibilities

QUICK DRY GLOSS BRILLIANT WHITE

SECTION 7: Handling and storage

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

7.3 Specific end use(s)

Recommendations : Not available. **Industrial sector specific** : Not available.

Industrial sector specific solutions

SECTION 8: Exposure controls/personal protection

The information in this section contains generic advice and guidance. Information is provided based on typical anticipated uses of the product. Additional measures might be required for bulk handling or other uses that could significantly increase worker exposure or environmental releases.

8.1 Control parameters

Occupational exposure limits

No exposure limit value known.

Recommended monitoring procedures If this product contains ingredients with exposure limits, personal, workplace atmosphere or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment. Reference should be made to monitoring standards, such as the following: European Standard EN 689 (Workplace atmospheres - Guidance for the assessment of exposure by inhalation to chemical agents for comparison with limit values and measurement strategy) European Standard EN 14042 (Workplace atmospheres - Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents) European Standard EN 482 (Workplace atmospheres - General requirements for the performance of procedures for the measurement of chemical agents) Reference to national guidance documents for methods for the determination of hazardous substances will also be required.

DNELs/DMELs

Product/ingredient name	е Туре	Exposure	Value	Population	Effects
adipohydrazide	DNEL	Long term Inhalation	17.5 mg/m ³	Workers	Systemic
propylidynetrimethanol	DNEL	Long term Oral	0.34 mg/ kg bw/day	General population	Systemic
	DNEL	Long term Dermal	0.34 mg/ kg bw/day	General population	Systemic
	DNEL	Long term Inhalation	0.58 mg/m ³		Systemic
	DNEL	Long term Dermal	0.94 mg/ kg bw/day	Workers	Systemic
	DNEL	Long term Inhalation	3.3 mg/m ³	Workers	Systemic
1,2-benzisothiazol-3(2H)-one	DNEL	Long term Dermal	0.345 mg/ kg bw/day	General population	Systemic
	DNEL	Long term Dermal	0.966 mg/ kg bw/day	Workers	Systemic
	DNEL	Long term Inhalation	1.2 mg/m ³	General population	Systemic
	DNEL	Long term	6.81 mg/m³		Systemic
CMIT/MIT(3:1)	DNEL	Long term	0.02 mg/m ³	General population	Local
	DNEL	Long term	0.02 mg/m ³		Local
e of issue/Date of revision	: 26-1-2024		Version	:1	54. SP
te of previous issue	:26-1-2024		6/16		AkzoNob

SECTION 8: Exposure controls/personal protection

3	SECTION 6. Exposure controls/personal protection						
			Inhalation				
		DNEL	Short term	0.04 mg/m³	General	Local	
			Inhalation		population		
		DNEL	Short term Inhalation	0.04 mg/m ³	Workers	Local	
		DNEL	Long term Oral	0.09 mg/ kg bw/day	General population	Systemic	
		DNEL	Short term Oral	0.11 mg/	General	Systemic	
				kg bw/day	population		
	3(2H)-Isothiazolone, 2-methyl-	DNEL	Long term	0.021 mg/	General	Local	
			Inhalation	m³	population		
		DNEL	Long term Inhalation	0.021 mg/ m³	Workers	Local	
		DNEL	Long term Oral	0.027 mg/	General	Systemic	
			-	kg bw/day	population		
		DNEL	Short term	0.043 mg/	General	Local	
			Inhalation	m³	population		
		DNEL	Short term Inhalation	0.043 mg/ m³	Workers	Local	
		DNEL	Short term Oral	0.053 mg/	General	Systemic	
				kg bw/day	population		

PNECs

No PNECs available.

8.2 Exposure controls

Appropriate engineering controls : Good general ventilation should be sufficient to control worker exposure to airborne contaminants. Individual protection measures : Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location. Eye/face protection : Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection safety glasses with side-shields. Skin protection : Chemical-resistant, impervious gloves complying with an approved standard should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields. Bit protection : Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. For all types of exposure, a glove with protection class of 2 or higher (breakthrough time >30 minutes according to EN374) is recommended. Recommended gloves: Nitrile, thickness ≥ 0.12 mm. Gloves should be replaced regularly and if there is any sign of damage to the glove material. The performance or effectiveness of the glove may be reduced by physical/ chemical damage and poor maintenance. The user must check that the final choice of type of glove selected for handling this product is t				,
Hygiene measures : Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location. Eye/face protection : Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields. Skin protection : Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicate this is necessary. For all types of exposure, a glove with protection class of 2 or higher (breakthrough time >30 minutes according to EN374) is recommended. Recommended gloves: Nitrile, thickness ≥ 0.12 mm. Gloves should be replaced regularly and if there is any sign of damage to the glove material. Body protection : Performance or effectiveness of the glove may be reduced by physical/ chemical damage and poor maintenance. The user must check that the final choice of type of glove selected for handling this product is the most appropriate and takes into account the particular conditions of use, as included in the user's risk assessment. Body protection : Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be appr		5	lation should be sufficient to control worke	r exposure to airborne
Eye/face protection before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location. Eye/face protection : Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields. Skin protection Hand protection Hand protection : Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. For all types of exposure, a glove with protection class of 2 or higher (breakthrough time >30 minutes according to EN374) is recommended. Recommended gloves: Nitrile, thickness ≥ 0.12 mm. Gloves should be replaced regularly and if there is any sign of damage to the glove material. Body protection : Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. Date of issue/Date of revision : 26-1-2024 Version :1	Individual protection meas	<u>sures</u>		
assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields. Skin protection Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. For all types of exposure, a glove with protection class of 2 or higher (breakthrough time >30 minutes according to EN374) is recommended. Recommended gloves: Nitrile, thickness ≥ 0.12 mm. Gloves should be replaced regularly and if there is any sign of damage to the glove material. The performance or effectiveness of the glove may be reduced by physical/ chemical damage and poor maintenance. The user must check that the final choice of type of glove selected for handling this product is the most appropriate and takes into account the particular conditions of use, as included in the user's risk assessment. Body protection : Personal protective equipment for the body should be approved by a specialist before handling this product. Date of issue/Date of revision : 26-1-2024 Version : 1	Hygiene measures	before eating, smo Appropriate technic Wash contaminate	king and using the lavatory and at the end ques should be used to remove potentially d clothing before reusing. Ensure that eye	of the working period. contaminated clothing.
Hand protection : Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. For all types of exposure, a glove with protection class of 2 or higher (breakthrough time >30 minutes according to EN374) is recommended. Recommended gloves: Nitrile, thickness ≥ 0.12 mm. Gloves should be replaced regularly and if there is any sign of damage to the glove material. The performance or effectiveness of the glove may be reduced by physical/chemical damage and poor maintenance. The user must check that the final choice of type of glove selected for handling this product is the most appropriate and takes into account the particular conditions of use, as included in the user's risk assessment. Body protection : Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. Date of issue/Date of revision : 26-1-2024 Version :1	Eye/face protection	assessment indica gases or dusts. If unless the assessr	tes this is necessary to avoid exposure to I contact is possible, the following protection	iquid splashes, mists, should be worn,
be worn at all times when handling chemical products if a risk assessment indicates this is necessary. For all types of exposure, a glove with protection class of 2 or higher (breakthrough time >30 minutes according to EN374) is recommended. Recommended gloves: Nitrile, thickness ≥ 0.12 mm. Gloves should be replaced regularly and if there is any sign of damage to the glove material. The performance or effectiveness of the glove may be reduced by physical/ chemical damage and poor maintenance. The user must check that the final choice of type of glove selected for handling this product is the most appropriate and takes into account the particular conditions of use, as included in the user's risk assessment. Body protection : Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. Date of issue/Date of revision : 26-1-2024 Version :1	Skin protection			
time >30 minutes according to EN374) is recommended. Recommended gloves: Nitrile, thickness ≥ 0.12 mm. Gloves should be replaced regularly and if there is any sign of damage to the glove material. The performance or effectiveness of the glove may be reduced by physical/ chemical damage and poor maintenance. The user must check that the final choice of type of glove selected for handling this product is the most appropriate and takes into account the particular conditions of use, as included in the user's risk assessment. Body protection : Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. Date of issue/Date of revision : 26-1-2024	Hand protection	be worn at all time		
Body protection : Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. Date of issue/Date of revision : 26-1-2024		time >30 minutes a Nitrile, thickness ≥ Gloves should be r	according to EN374) is recommended. Rec 0.12 mm.	commended gloves:
Body protection product is the most appropriate and takes into account the particular conditions of use, as included in the user's risk assessment. Body protection Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. Date of issue/Date of revision : 26-1-2024				ed by physical/
being performed and the risks involved and should be approved by a specialist before handling this product. Date of issue/Date of revision : 26-1-2024 Version		product is the mos	t appropriate and takes into account the pa	
Alizablaha	Body protection	being performed a	nd the risks involved and should be approv	
Date of previous issue: 26-1-20247/16AkzoNobe	Date of issue/Date of revision	: 26-1-2024	Version :1	
	Date of previous issue	: 26-1-2024	7/16	AkzoNobel

SECTION 8: Exposure controls/personal protection

Other skin protection	 Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Respiratory protection	: Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use. Dry sanding, flame cutting and/or welding of the dry paint film will give rise to dust and/or hazardous fumes. Wet sanding/flatting should be used wherever possible. If exposure cannot be avoided by the provision of local exhaust ventilation, suitable respiratory protective equipment should be used. Wear a Approved/certified disposable particulate dust mask.
Environmental exposure controls	: Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

SECTION 9: Physical and chemical properties

The conditions of measurement of all properties are at standard temperature and pressure unless otherwise indicated.

9.1 Information on basic physical and chemical properties

Appearance							
Physical state	: Liquio	ł.					
Color	: White.						
Odor	: Characteristic.						
Odor threshold	: Not a	: Not available.					
Melting point/freezing point	: Not a	vailable.					
Boiling point, initial boiling point, and boiling range	: 100°C	C (212°F)					
Flammability	: Not a	vailable.					
Lower and upper explosion limit			nge: Lower: 0.6% U pentane-1,3-diol)	pper: 4.2% (isobutyric acid, monoester			
Flash point	: Not a	vailable.					
Auto-ignition temperature	:						
Ingredient name		°C	°F	Method			
2-(2-ethoxyethoxy)ethanol		204	399.2				
isobutyric acid, monoester with 2,2,4-trimethylpentane-1,3-diol		393	739.4				
Decomposition temperature	: Not a	vailable.					
рН	: 8 [Co	nc. (% w/w): ′	100%] [DIN EN 1262	2]			
Viscosity			emperature): 567 mn Not applicable. [DIN	n²/s [DIN EN ISO 3219] EN ISO 3219]			
Solubility(ies)	:						
Media	Res	ult					
cold water	Soluble [OECD (TG 105)]						
Partition coefficient: n-octano water	I/: Nota	pplicable.					
Vapor pressure	:						

QUICK DRY GLOSS BRILLIANT WHITE

SECTION 9: Physical and chemical properties

	V	apor Press	ure at 20°C	N 1	Vapor pressure at 50		
Ingredient name	mm Hg	kPa	Method	mm Hg	kPa	Method	
2-(2-ethoxyethoxy)ethanol	0.14	0.019					
isobutyric acid, monoester with 2,2,4-trimethylpentane-1,3-diol	0.0098	0.0013	EU A.4				
Relative density	: 1.2	39	<u>_</u>		•		
/apor density	: Not	available.					
Particle characteristics							
Median particle size	: Not	applicable.					
Percentage of particles wit aerodynamic diameter ≤ 10 µm							

SECTION 10: Stability and reactivity					
10.1 Reactivity	: No specific test data related to reactivity available for this product or its ingredients.				
10.2 Chemical stability	: The product is stable.				
10.3 Possibility of hazardous reactions	: Under normal conditions of storage and use, hazardous reactions will not occur.				
10.4 Conditions to avoid	: No specific data.				
10.5 Incompatible materials	: No specific data.				
10.6 Hazardous decomposition products	: Under normal conditions of storage and use, hazardous decomposition products should not be produced.				

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

There are no data available on the mixture itself. The product is not classified as hazardous according to Regulation (EC) 1272/2008 as amended.

Repeated or prolonged contact with the mixture may cause removal of natural fat from the skin, resulting in nonallergic contact dermatitis and absorption through the skin.

If splashed in the eyes, the liquid may cause irritation and reversible damage.

This takes into account, where known, delayed and immediate effects and also chronic effects of components from short-term and long-term exposure by oral, inhalation and dermal routes of exposure and eye contact.

Contains adipohydrazide, 1,2-benzisothiazol-3(2H)-one, CMIT/MIT(3:1), 2-methyl-2H-isothiazol-3-one. May produce an allergic reaction.

Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
propylidynetrimethanol	LD50 Oral	Mouse	13700 mg/kg	-
	LD50 Oral	Mouse	14000 mg/kg	-
	LD50 Oral	Rat	14100 mg/kg	-
	LD50 Oral	Rat	14000 mg/kg	-
1,2-benzisothiazol-3(2H)-	LD50 Oral	Mouse	1150 mg/kg	-
one				
	LD50 Oral	Rat	1020 mg/kg	-
e of issue/Date of revision	: 26-1-2024	Versior	n :1	
e of previous issue	: 26-1-2024	9/16		AkzoNobe

SECTION 11: Toxicological information

Conclusion/Summary : Not available.

Acute toxicity estimates

Product/ingredient name	Oral (mg/ kg)	Dermal (mg/kg)	Inhalation (gases) (ppm)	Inhalation (vapors) (mg/l)	Inhalation (dusts and mists) (mg/l)
1,2-benzisothiazol-3(2H)-one	500	N/A	N/A	N/A	0.05
CMIT/MIT(3:1)	100	50	N/A	N/A	0.05
3(2H)-Isothiazolone, 2-methyl-	100	300	N/A	N/A	0.05

Irritation/Corrosion

Intration/ Correston		
Conclusion/Summary	:	Not available.
<u>Sensitization</u>		
Conclusion/Summary	:	Not available.
Mutagenicity		
Conclusion/Summary	:	Not available.
Carcinogenicity		
Conclusion/Summary	:	Not available.
Reproductive toxicity		
Conclusion/Summary	:	Not available.
Teratogenicity		
Conclusion/Summary	:	Not available.
Specific target organ toxicity	<u>y (</u>	<u>single exposure)</u>
Not available.		
Specific target organ toxicity	y (repeated exposure)
Not available.	_	
Aspiration hazard		
Not available.		
Information on the likely	:	Not available.
Information on the likely routes of exposure		Not available.
Information on the likely routes of exposure <u>Potential acute health effects</u>		
Information on the likely routes of exposure <u>Potential acute health effects</u> Eye contact	:	No known significant effects or critical hazards.
Information on the likely routes of exposure <u>Potential acute health effects</u> Eye contact Inhalation	:	No known significant effects or critical hazards. No known significant effects or critical hazards.
Information on the likely routes of exposure <u>Potential acute health effects</u> Eye contact Inhalation Skin contact	::	No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards.
Information on the likely routes of exposure <u>Potential acute health effects</u> Eye contact Inhalation	::	No known significant effects or critical hazards. No known significant effects or critical hazards.
Information on the likely routes of exposure <u>Potential acute health effects</u> Eye contact Inhalation Skin contact Ingestion	:::::::::::::::::::::::::::::::::::::::	No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards.
Information on the likely routes of exposure <u>Potential acute health effects</u> Eye contact Inhalation Skin contact Ingestion <u>Symptoms related to the phys</u>	:	No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. al. chemical and toxicological characteristics
Information on the likely routes of exposure <u>Potential acute health effects</u> Eye contact Inhalation Skin contact Ingestion <u>Symptoms related to the phys</u> Eye contact	: : : sic	No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. al. chemical and toxicological characteristics No specific data.
Information on the likely routes of exposure <u>Potential acute health effects</u> Eye contact Inhalation Skin contact Ingestion <u>Symptoms related to the phys</u> Eye contact Inhalation	: : : : :	No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. al. chemical and toxicological characteristics No specific data. No specific data.
Information on the likely routes of exposure Potential acute health effects Eye contact Inhalation Skin contact Ingestion Symptoms related to the phys Eye contact Inhalation Skin contact	: : : : :	No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. al. chemical and toxicological characteristics No specific data. No specific data. No specific data.
Information on the likely routes of exposure <u>Potential acute health effects</u> Eye contact Inhalation Skin contact Ingestion <u>Symptoms related to the phys</u> Eye contact Inhalation	: : : : :	No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. al. chemical and toxicological characteristics No specific data. No specific data.
Information on the likely routes of exposure Potential acute health effects Eye contact Inhalation Skin contact Ingestion Symptoms related to the phys Eye contact Inhalation Skin contact Inhalation Skin contact Ingestion	: : : : : :	No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. al. chemical and toxicological characteristics No specific data. No specific data. No specific data. No specific data.
Information on the likely routes of exposure <u>Potential acute health effects</u> Eye contact Inhalation Skin contact Ingestion <u>Symptoms related to the phys</u> Eye contact Inhalation Skin contact Inhalation Skin contact Ingestion <u>Delayed and immediate effect</u>	: : : : : :	No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. al. chemical and toxicological characteristics No specific data. No specific data. No specific data.
Information on the likely routes of exposure Potential acute health effects Eye contact Inhalation Skin contact Ingestion Symptoms related to the phys Eye contact Inhalation Skin contact Inhalation Skin contact Ingestion	: : : : : : : :	No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. al. chemical and toxicological characteristics No specific data. No specific data. No specific data. No specific data.

effects



SECTION 11: Toxicological information

Potential delayed effects	: Not available.
<u>Long term exposure</u>	
Potential immediate effects	: Not available.
Potential delayed effects	: Not available.
Potential chronic health effe	ects
Not available.	
Conclusion/Summary	: Not available.
General	: No known significant effects or critical hazards.
Carcinogenicity	: No known significant effects or critical hazards.
Mutagenicity	: No known significant effects or critical hazards.
Reproductive toxicity	: No known significant effects or critical hazards.

11.2 Information on other hazards

11.2.1 Endocrine disrupting properties

Not available.

11.2.2 Other information

No additional information.

SECTION 12: Ecological information

12.1 Toxicity

There are no data available on the mixture itself. Do not allow to enter drains or watercourses.

The mixture has been assessed following the summation method of the CLP Regulation (EC) No 1272/2008 and is not classified as hazardous to the environment, but contains substance(s) hazardous to the environment. See section 3 for details.

Product/ingredient name	Result	Species	Exposure
titanium dioxide	Acute LC50 >1000 mg/l Fresh water	Fish - Pimephales promelas	96 hours
propylidynetrimethanol	Acute EC50 13000000 µg/l Fresh water	Daphnia - Daphnia magna	48 hours
	Acute LC50 14400000 µg/l Marine water	Fish - Cyprinodon variegatus	96 hours
1,2-benzisothiazol-3(2H)-one	Acute EC50 97 ppb Fresh water	Daphnia - Daphnia magna	48 hours
	Acute EC50 2.24 ppm Fresh water	Daphnia - Daphnia magna	48 hours
	Acute EC50 3.7 ppm Fresh water	Daphnia - Daphnia magna	48 hours
	Acute EC50 1.1 ppm Fresh water	Daphnia - Daphnia magna	48 hours
	Acute EC50 2 ppm Fresh water	Daphnia - Daphnia magna	48 hours
	Acute LC50 10 to 20 mg/l Fresh water	Crustaceans - Ceriodaphnia dubia	48 hours
	Acute LC50 540 ppb Fresh water	Fish - Lepomis macrochirus	96 hours
	Acute LC50 167 ppb Fresh water	Fish - Oncorhynchus mykiss	96 hours
	Acute LC50 0.75 ppm Fresh water	Fish - Oncorhynchus mykiss	96 hours
	Acute LC50 1.8 ppm Fresh water	Fish - Oncorhynchus mykiss	96 hours
	Acute LC50 1.6 ppm Fresh water	Fish - Oncorhynchus mykiss	96 hours
3(2H)-Isothiazolone, 2-methyl-	Acute EC50 0.18 ppm Fresh water	Daphnia - Daphnia magna	48 hours
-	Acute LC50 0.3 ppm Fresh water	Fish - Lepomis macrochirus	96 hours
	Acute LC50 0.19 ppm Fresh water	Fish - Oncorhynchus mykiss	96 hours
	Acute LC50 0.07 ppm Fresh water	Fish - Oncorhynchus mykiss	96 hours

Conclusion/Summary

: Not available.

12.2 Persistence and degradability

Date of issue/Date of revision	: 26-1-2024	Version : 1	
Date of previous issue	: 26-1-2024	11/16	AkzoNobel

QUICK DRY GLOSS BRILLIANT WHITE

SECTION 12: Ecological information

Conclusion/Summary : Not available.

12.3 Bioaccumulative potential

Product/ingredient name	LogPow	BCF	Potential
propylidynetrimethanol	-0.47	<1	low

12.4 Mobility in soil	
Soil/water partition coefficient (K _{oc})	: Not available.
Mobility	: Not available.

12.5 Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

12.6 Endocrine disrupting properties

Not available.

12.7 Other adverse effects

No known significant effects or critical hazards.

SECTION 13: Disposal considerations

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

13.1 Waste treatment methods

<u>Product</u>	
Methods of disposal	: The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction.
Hazardous waste	: Within the present knowledge of the supplier, this product is not regarded as hazardous waste, as defined by EU Directive 2008/98/EC.
Disposal considerations	 Do not allow to enter drains or watercourses. Dispose of according to all federal, state and local applicable regulations. If this product is mixed with other wastes, the original waste product code may no longer apply and the appropriate code should be assigned. For further information, contact your local waste authority.

European waste catalogue (EWC)

The European Waste Catalogue classification of this product, when disposed of as waste, is:

Waste code	Waste designation
EWC 08 01 12	waste paint and varnish other than those mentioned in 08 01 11
 ackaging Methods of disposal	: The generation of waste should be avoided or minimized wherever possible. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible.

Date of issue/Date of revision	: 26-1-2024	Version :1	
Date of previous issue	: 26-1-2024	12/16	AkzoNobel

SECTION 13: Disposal considerations

Disposal considerations	 Using information provided in this safety data sheet, advice should be obtained from the relevant waste authority on the classification of empty containers. Empty containers must be scrapped or reconditioned. Dispose of containers contaminated by the product in accordance with local or national legal provisions.
Special precautions	: This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

SECTION 14: Transport information

	ADR/RID	IMDG
14.1 UN number or ID number	Not regulated.	Not regulated.
14.2 UN proper shipping name	-	-
14.3 Transport hazard class(es)	-	-
14.4 Packing group	-	-
14.5 Environmental hazards	No.	No.

14.6 Special precautions for user: **Transport within user's premises:** always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

14.7 Transport in bulk: Not applicable.according to IMOinstruments

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture <u>UK (GB) /REACH</u>

Annex XIV - List of substances subject to authorization

<u>Annex XIV</u>

None of the components are listed.

Substances of very high concern

None of the components are listed.

Annex XVII - Restrictions : Not applicable. on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles

Other EU regulations



QUICK DRY GLOSS BRILLIANT WHITE

SECTION 15: Regulatory information

Date of previous issue	: 26-1-2024	14/16	AkzoNobel
Date of issue/Date of revision	: 26-1-2024	Version : 1	
Abbreviations and acronyms	: ATE = Acute Toxicity E CLP = Classification, L 1272/2008] DMEL = Derived Minim DNEL = Derived No Eff	stimate abelling and Packaging Regulation [fect Level specific Hazard statement ccumulative and Toxic Effect Concentration	Regulation (EC) No.
SECTION 16: Other i		v issued version.	
15.2 Chemical Safety Assessment		sessment has been carried out.	
UNECE Aarhus Protocol on Not listed.	POPs and Heavy Metals		
Not listed.			
Rotterdam Convention on F	Prior Informed Consent (P	<u>IC)</u>	
Stockholm Convention on F Not listed.	Persistent Organic Polluta	<u>ants</u>	
Montreal Protocol Not listed.			
Not listed.			
Chemical Weapon Convent	ion List Schedules I, II & I	II Chemicals	
Biocidal products regulation	on		
This product is not controlled		e.	
Seveso Directive			
Persistent Organic Polluta Not listed.	<u>nts</u>		
<u>Prior Informed Consent (P</u> Not listed.	<u>IC) (049/2012/EU)</u>		
Not listed.	IC) (640/2042/EU)		
Ozone depleting substanc	<u>es (1005/2009/EU)</u>		
Industrial emissions (integrated pollution prevention and control) - Water	: Not listed		
Industrial emissions (integrated pollution prevention and control) - Air	: Not listed		
VOC for Ready-for-Use Mixture	: Not available.		
	•	chnical data sheet for further informa	

QUICK DRY GLOSS BRILLIANT WHITE

SECTION 16: Other information

SGG = Segregation Group vPvB = Very Persistent and Very Bioaccumulative

Procedure used to derive the classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Not classified. Full text of abbreviated H statements H301 Toxic if swallowed. H302 Harmful if swallowed. H310 Fatal in contact with skin. H311 Toxic in contact with skin. H314 Causes severe skin burns and eye damage. H315 Causes skin irritation. H316 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes severe skin burns and eye damage. H319 Causes skin irritation. H314 Causes skin irritation. H315 Causes scious eye damage. H316 Causes scious eye damage. H317 May cause an allergic skin reaction. H318 Causes scious eye damage. H314 Causes scious eye damage. H315 Suspected of causing cancer. H400 Very toxic to aquatic life. H411 Toxic to aquatic life. H411 Toxic to aquatic life. Acute Tox. 2 ACUTE TOXICITY - Category 2 Acute Tox. 4 AQUATIC HAZARD (ACUTE) - Category 1 Aquatic Chronic 1 AQUATIC HAZARD (LONG-TERM) - Catego		Classification		Justification
H301 Toxic if swallowed. H302 Harmful if swallowed. H310 Fatal in contact with skin. H311 Toxic in contact with skin. H314 Causes severe skin burns and eye damage. H315 Causes severe skin initiation. H316 Causes severe skin nours and eye damage. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H330 Fatal if inhaled. H331 Suspected of causing cancer. H400 Very toxic to aquatic life. H411 Toxic it or aquatic life with long lasting effects. EUH071 Corrosive to the respiratory tract. EUH071 Catestors. Acute Tox. 2 ACUTE TOXICITY - Category 2 Acute Tox. 4 ACUTE TOXICITY - Category 3 Acute Tox. 4 ACUTE TOXICITY - Category 1 Aquatic Chronic 1 AQUATIC HAZARD (ACUTE) - Category 1 Aquatic Chronic 1 AQUATIC HAZARD (ACUTE) - Category 1 Aquatic Chronic 1 AQUATIC HAZARD (CORGSION/IRRITATION - Category 1 Skin Corr. 10 SKIN CORROSION/IRRITATION - Category 1 Skin rint. 2 SKIN CORROSION/IRRITATION - Ca	Not classified.			
H302 Harmful if swallowed. H310 Fatal in contact with skin. H311 Toxic in contact with skin. H314 Causes severe skin burns and eye damage. H315 Causes skin irritation. H316 Causes serious eye damage. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H330 Fatal if inhaled. H351 Suspected of causing cancer. H400 Very toxic to aquatic life. H411 Toxic to aquatic life with long lasting effects. EUH071 Corrosive to the respiratory tract. EUH1071 Corrosive to the respiratory tract. EUH1071 Category 2 Acute Tox. 2 ACUTE TOXICITY - Category 4 Aquatic Acute 1 AQUATIC HAZARD (ACUTE) - Category 1 Aquatic Chronic 1 AQUATIC HAZARD (LONG-TERM) - Category 2 Aquatic Chronic 2 AQUATIC HAZARD (LONG-TERM) - Category 2 Eye Dam. 1 SERIOUS EYE DAMAGE/ EYE IRRITATION - Category 1 Aquatic Chronic 2 AQUATIC HAZARD (LONG-TERM) - Category 1 Skin Corr. 1B SKIN CORROSION/IRRITATION - Category 1 Skin Sens. 1 SKIN C	Full text of abbreviated H	statements		
Acute Tox. 2ACUTE TOXICITY - Category 2Acute Tox. 3ACUTE TOXICITY - Category 3Acute Tox. 4ACUTE TOXICITY - Category 4Aquatic Acute 1AQUATIC HAZARD (ACUTE) - Category 1Aquatic Chronic 1AQUATIC HAZARD (LONG-TERM) - Category 1Aquatic Chronic 2AQUATIC HAZARD (LONG-TERM) - Category 2Carc. 2CARCINOGENICITY - Category 2Eye Dam. 1SERIOUS EYE DAMAGE/ EYE IRRITATION - Category 1Skin Corr. 1BSKIN CORROSION/IRRITATION - Category 1BSkin Corr. 1CSKIN CORROSION/IRRITATION - Category 1CSkin Sens. 1SKIN SENSITIZATION - Category 1Skin Sens. 1SKIN SENSITIZATION - Category 1Skin Sens. 1ASKIN SENSITIZATION - Category 1Date of printing: 1-10-2024Date of previous issue: 26-1-2024Version: 1	H302 H310 H311 H314 H315 H317 H318 H330 H351 H400 H410 H411		Harmful if swallowed Fatal in contact with Toxic in contact with Causes severe skin Causes skin irritatior May cause an allergi Causes serious eye Fatal if inhaled. Suspected of causin Very toxic to aquatic Very toxic to aquatic Toxic to aquatic life	skin. skin. burns and eye damage. n. ic skin reaction. damage. g cancer. life. life with long lasting effects. with long lasting effects.
Acute Tox. 3ACUTE TOXICITY - Category 3Acute Tox. 4ACUTE TOXICITY - Category 4Aquatic Acute 1AQUATIC HAZARD (ACUTE) - Category 1Aquatic Chronic 1AQUATIC HAZARD (LONG-TERM) - Category 1Aquatic Chronic 2AQUATIC HAZARD (LONG-TERM) - Category 2Carc. 2CARCINOGENICITY - Category 2Eye Dam. 1SERIOUS EYE DAMAGE/ EYE IRRITATION - Category 1Skin Corr. 1BSKIN CORROSION/IRRITATION - Category 1CSkin Corr. 1CSKIN CORROSION/IRRITATION - Category 2Skin Sens. 1SKIN SENSITIZATION - Category 1Skin Sens. 1SKIN SENSITIZATION - Category 1Skin Sens. 1ASKIN SENSITIZATION - Category 1Oate of printing: 1-10-2024Date of previous issue: 26-1-2024Version: 1	Full text of classifications	[CLP/GHS]		
Date of issue/ Date of: 26-1-2024revision: 26-1-2024Date of previous issue: 26-1-2024Version: 1	Acute Tox. 3 Acute Tox. 4 Aquatic Acute 1 Aquatic Chronic 1 Aquatic Chronic 2 Carc. 2 Eye Dam. 1 Skin Corr. 1B Skin Corr. 1C Skin Irrit. 2 Skin Sens. 1		ACUTE TOXICITY - ACUTE TOXICITY - AQUATIC HAZARD AQUATIC HAZARD CARCINOGENICITY SERIOUS EYE DAM SKIN CORROSION/ SKIN CORROSION/ SKIN CORROSION/ SKIN SENSITIZATIO	Category 3 Category 4 (ACUTE) - Category 1 (LONG-TERM) - Category 1 (LONG-TERM) - Category 2 (- Category 2 IAGE/ EYE IRRITATION - Category 1 IRRITATION - Category 1B IRRITATION - Category 1C IRRITATION - Category 2 DN - Category 1
	Date of issue/ Date of revision Date of previous issue	: 26-1-2024 : 26-1-2024		
Notice to reader	Unique ID		30C1EDF9FF14EC4378	701CF

Notice to reader

IMPORTANT NOTE: The information in this data sheet is not intended to be exhaustive and is based on the present state of our knowledge and on current laws: any person using the product for any purpose other than that specifically recommended in the technical data sheet without first obtaining written confirmation from us as to the suitability of the product for the intended purpose does so at his own risk. It is always the responsibility of the user to take all necessary steps to fulfill the demands set out in the local rules and legislation. Always read the Material Data Sheet and the Technical Data Sheet for this product if available. All advice we give or any statement made about the product by us (whether in this data sheet or otherwise) is correct to the best of our knowledge but we have no control over the quality or the condition of the substrate or the many factors affecting the use and application of the product. Therefore, unless we specifically agree in writing otherwise, we do not accept any liability whatsoever for the performance of the product or for any loss or damage arising out of the use of the product. All products supplied and technical advice given are subject to our standard terms and conditions of sale. You should request a copy of this document and review it carefully. The information contained in this data sheet is subject to modification from time to time in the light of experience and our policy of continuous development. It is the user's responsibility to verify that this data sheet is current prior to using the product.

Date of issue/Date of revision	: 26-1-2024	Version : 1	
Date of previous issue	: 26-1-2024	15/16	AkzoNobel

QUICK DRY GLOSS BRILLIANT WHITE

SECTION 16: Other information

Brand names mentioned in this data sheet are trademarks of or are licensed to Akzo Nobel.

