

Not classified as hazardous according to criteria of NOHSC

# Material Safety Data Sheet



## ULTRA-KOTE INTERIOR FLAT

### 1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

**Product Name:** ULTRA-KOTE INTERIOR FLAT

**Product Use:** For exterior surfaces

**Detail of the Supplier of this safety sheet:** AkzoNobel Ltd (ABN I – 1289)  
Cnr Vakari, Tarumana ave,  
Gerehu Stage 6,  
PO Box 1264,  
Boroko,  
NCD, PNG

**Emergency Tel:** 7192 1000 +675 276 3034 / +675 276 3036 (24hr) OR 000 in PNG

**Telephone/ Fax number:**  
Tel: 675 326 2126  
Fax: 675 7031 8440/ 7031 8441

**Recommended Use:**  
Coatings for exterior surfaces. Commonly applied by brush or roller.

**Other Information:**  
Note: Users should verify currency of this data sheet if more than 5 years old.  
The information contained in this material safety data sheet is believed to be accurate on the date of issue and in accordance with the information available to us. Persons dealing with products referred to in the material safety data sheet do so at their own risk. We accept no liability whatsoever for damage or injury however caused arising from use of this information or of suggestions contained herein.

### 2. HAZARDS IDENTIFICATION

Hazard classification of this product is according to the criteria of NOHSC.  
Dangerous goods classification according to the Australia Dangerous Goods Code

**Date of issue/Date of Revision:** March 2014

**Indication(s) of Danger:** Non-hazardous substance.  
**Symbol Letter(s):** None  
**Category(ies) of Danger:** Non-dangerous goods  
**Risk Phrase(s):** None

Information on Occupational Exposure Limits is given in Section 8

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

EC No	CAS No	HAZARDOUS INGREDIENTS	%	CLASSIFICATION
57-55-6		Propylene glycol	0-5	
N/AV		PAINT ADDITIVE	2-10	
13463-67-7		TITANIUM DIOXIDE	0-30	
N/AV		Water	30-60	
471-34-1		Calcite	0-10	
N/AV		STYRENE ACRYLIC COPOLYMER	0-10	
N/A		Acrylic emulsion	0-30	
N/AV		PVA Acrylic Copolymer	0-30	

Note: The text for R phrase codes shown above (if any) is given in Section 16.

Note: 'EC Number' if quoted is the EINECS or ELINCS number.

### 4. FIRST AID MEASURES

In all cases of doubt, or where symptoms persist, seek medical attention.

**INHALATION:** Work in a well-ventilated area and do not breathe in vapour or spray Remove to fresh air if any effects apparent.

**EYE CONTACT:** Irrigate copiously with clean fresh water for 15 minutes, holding the eyelids apart.

**SKIN CONTACT:** Wash affected areas with soap and water or an industrial skin cleanser

**INGESTION:** If swallowed give a glass of water. Induce vomiting using Ipecac syrup APF or finger down throat.

### 5. FIRE FIGHTING MEASURES

**Suitable Extinguishing Media:**

Not required. Material not combustible

**Hazchem Code:** Nil

### 6. ACCIDENTAL RELEASE MEASURES

**Spills and Disposal:**

Exclude non-essential personnel

Ventilate area. Scrape up and drum off. Dispose of in accordance with relevant State regulations as non-hazardous liquid waste.

Do not allow into drains or watercourses.

Contact points for disposal advise:

N.C.D (675) 325 0194 - ENVIRONMENT PROTECTION AUTHORITY (Dept. of Environment and Conservation)

## 7. HANDLING AND STORAGE

**Handling Conditions:**

Store in cool place and out of direct sunlight.

**Conditions for Safe Storage:**

Keep containers sealed when not in use.

**Specific Use(s):**

Where applicable refer to the product label and literature for the application and use instruction.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

**National Exposure Standards:**

WATER N/AV  
TITANIUM DIOXIDE 10mg/m<sup>3</sup>  
CALCITE 10mg/m<sup>3</sup>(C)  
PAINT ADDITIVE N/AV  
STYRENE ACRYLIC COPOLYMER N/AV  
PROPYLENE GLYCOL 10mg/m<sup>3</sup>  
ACRYLIC EMULSION N/Av  
Suppliers recommendation - maximum exposure for an 8 hour working day 5 days a week.

**Engineering Controls:**

Good general ventilation is recommended.

**Respiratory Protection:**

No special respiratory protection is necessary.

**Eye Protection:**

Eye protection to prevent splashing in the eyes, eg. Safety glasses with side shields or chemical goggles.

**Personal Protective Equipment:**

No special skin protection is necessary.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

**Physical State:** Liquid  
**Flash Point:** N/A  
**Specific Gravity:** 1.320  
**Water Miscibility:** Yes  
**pH:** 8-9  
**Viscosity(KU-1):** N/AV

## 10. STABILITY AND REACTIVITY

**Conditions to Avoid:**

Not applicable. This product is stable.

**Materials to Avoid:**

Not applicable. This product is stable.

**Hazardous Decomposition Products:**

Not applicable.

## 11. TOXICOLOGICAL INFORMATION

There is no data available on the product itself. Hazard classification of this product is according to the criteria of NOHSC.

Dangerous goods classification according to the Australia Dangerous Goods Code.

There are no toxic effects anticipated for either inhalation or ingestion of this product. No chronic effects expected. However, prolonged skin Contact with this Product may cause mild irritation and may cause no more than a minor eye irritation if splashed/spilled into eyes.

## 12. ECOLOGICAL INFORMATION

**Ecological Information:** Harmful to marine organisms.  
Avoid release to drains and waterways.

## 13. DISPOSAL CONSIDERATIONS

**Disposal Considerations:**

Dispose of according to local, state and commonwealth regulations.

**Product Disposal:**

Do not pour leftover paint down the drain. Unwanted paint should be brushed out on newspaper, allowed to dry and then disposed of via domestic waste Collections.

**Container Disposal:**

Empty containers are acceptable for domestic and industrial waste collections. Empty steel cans are recyclable via steel recycling programs.

## 14. TRANSPORT INFORMATION

Transport within user's premises:

### ADR Classification Information

UN Number : 1263

Proper Shipping Name : PAINT

Hazard Class : Non-Hazardous

Sub-Hazard Class : Nil

Packing Group : Nil

Technical Name (NOS only) : ZINC PHOSPHATE PIGMENT

Ltd Qty Code : LQ7

Packing Instructions : P001

### IMDG Classification Information

UN Number : 1263

Proper Shipping Name : PAINT

Hazard Class : Non-Hazardous

Sub-Hazard Class : Nil

Packing Group : Nil

Technical Name (NOS only) : ZINC PHOSPHATE PIGMENT

Ltd Qty Maximum : 5.0 litres

Packing Instructions : P001

Marine Pollutant if indicated here: \* MARINE POLLUTANT

Emergency Schedule No : F-A,S-F

Flashpoint : NON-FLASH

## 15. REGULATORY INFORMATION

Hazard classification of this product is according to the criteria of NOHSC.  
Dangerous goods classification according to the Australia Dangerous Goods Code as follows:

### Indication of Danger:

Non-Dangerous goods

### Symbols Letter(s):

N

### Warning Label Phrases:

S5

Where 'J' and/ Or 'p' phrases are denoted, these are AkzoNobel or paint industry reference codes to additional phrases.

## 16. OTHER INFORMATION

The information on this sheet is not a specification: it does not guarantee specific properties. The information is intended to provide general guidance as to health and safety based upon our knowledge of the handling, storage and use of the product. It is not applicable to unusual or non-standard uses of the product nor where instructions and recommendations are not followed.

**Contact Person/Point:**

**AkzoNobel (PNG) Ltd**  
**Taubmans Customer Care**  
**Vakari Street, Tarumana Avenue, Gerehu Stage 6,**  
**Port Moresby, Papua New Guinea**  
**P O Box 1264, Boroko NCD, PNG**

**Tel: +675 7192 1000, Fax: +675 7031 8440/8441.**

**Emergency Contact: +675 276 3034 / +675 276 3036 (24hr) OR 000 in PNG**

<b>End of MSDS</b>
--------------------